A BYLAW OF THE TOWN OF LUMSDEN TO EXTEND THE PERMITTED USE OF PLASTIC PLUMBING MATERIALS IN A CERTAIN BUILDING IN THE TOWN

Under the provision of Section 83 of the Public Health Act, R.S.S. 1978, the Council of the Town of Lumsden in the Province of Saskatchewan enacts as follows:

- 1. Notwithstanding the provisions of:
 - a) Bylaw No. 2/86, and
 - b) The Saskatchewan Plumbing and Drainage Regulations, 1978 enacted under the Public Health Act, R.S.S. 1978,

Helmut Friedrich Polter of 65 First Avenue. in the Town of Lumsden, Saskatchewan

is hereby authorized to use plastic pipe and fittings in the plumbing system serving the structure known as

Fred's Automotive Repair located on Lot 4, Block A, Plan No. 86R52650.

- 2. The construction of such plumbing shall comply to the requirements stipulated under subsection (a) and (b):
 - a) Combustible drain, waste and vent pipking shall not be used in a plumbing system within a building where part of the system is located within or passes through a fire separation required to have a fire-resistance rating, except that where drain, waste and vent piping penetrates through a vertical fire separation, the piping on one side may be combustible provided the combustible piping is not located in a vertical shaft or in a fire separation required to have a fire-resistance rating.
 - b) Meet the requirements imposed by:
 - i) The office of the Provincial Fire Commissioner, and
 - ii) All other provisions of Bylaw No. 2/86 governing and regulating Plumbing and Drainage and the Disposal of Sewage within the town.
 - 3. Bylaw No. 2/87 passed on March 23, 1987 is hereby repealed.
 - 4. This bylaw shall come into force and effect upon approval of the Minister of Health.

SASKATCHEWAN HEALTH APPROVED UNDER THE PROVISIONS OF

SECTION 83(4) OF THE PUBLIC HEALTH ACT.

EXECUTIVE DIRECTOR, COMMUNITY SERVICES

Date 97-05-05

CERTIFIED A TRUE COPY of Bylaw No. 4/87 passed by resolution of Council on the 27 day of APRIC 1987.