A BYLAW OF THE TOWN OF LUMSDEN TO EXTEND THE PERMITTED USE OF PLASTIC PLUMBING MATERIALS IN A CERTAIN BUILDING IN THE TOWN

Under the provision of Section 83 of the Public Health Act, R.S.S. 1978, the Council of the Town of Lumsden enacts as follows:

- 1. Notwithstanding the provisions of:
  - a) Bylaw No. 2/86, and
  - b) The Saskatchewan Plumbing and Drainage Regulations, 1978 enacted under the Public Health Act, R.S.S. 1978,

Kenneth Charles Kelln

of 50 James Street North

in the Town of Lumsden, Saskatchewan

is hereby authorized to use plastic pipe and fittings in the plumbing system serving the structure known as  $\frac{1}{2}$ 

The Honey House,

located on Lot 3, Block A, Plan No. 86R17159.

- 2. The extension of such plumbing system shall be limited to use on one side of vertical fire separations and shall not be used within any vertical fire separations nor in a system where pipe passes through a horizontally aligned fire separation and shall be subject to and meet all requirements that may be imposed by:
  - a) The office of the Provincial Fire Commissioner, and
  - b) All other provisions of Bylaw No. 2/86 governing and regulating plumbing and drainage and disposal of sewage within the town.
- 3. This bylaw shall come into force and effect upon approval of the Minister of Health.

Locise Holloway

Town Administrator

of Bylaw No. 7/86 passed by resolution of Council on the 6 day of October 1986.

Town Administrator.

SASKATCHEMANI HEALTH

APPROVED UMANTH AND PROVEDING OF

SECTION 83(1)

EXECUTIVE DESCRIPTION COMMUNITY SERVICES

Date 86-10-21